Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	582	(abnormal near3 voltage near5 (protect\$4 prevent\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 13:39
L2	9586	ballast and ((discharge fluorescen\$4) near3 (lamp bulb tube vessel))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 11:10
L4	1012	ballast and ((prevent\$4 protect\$4) near4 circuit) and (fluorescen\$4 near3 (lamp bulb tube))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 15:25
L6	419	4 and ((sens\$4 detect\$4 monitor\$4) near5 voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 15:26
L8	172	6 and ((sens\$4 detect\$4 monitor\$4) near5 (fluorescen\$4 lamp) near5 voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 11:30
L18	381	safety near5 circuit and ballast	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/14 15:23
L19	151	ballast and ((prevent\$4 protect\$4) near4 circuit) and (fluorescen\$4 near3 (lamp bulb tube))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 16:06
L20	23	19 and ((sens\$4 detect\$4 monitor\$4) near5 voltage)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:58





April 14, 2005

Lookup

USPTO

Search	•		
Full Text	Search for:		
Concept			
Document ID	fluorescent and lamp and protection and circuit Search		
Recent Disclosures	Limit the results with these filters:		
Publish	Country of origin: Any country		
Publish Disclosure	Language: Any language		
My IP.com			
Manage Account	Published after: Dates should be entered in MM-DD-YYYY fi		
Prior Purchases	Published before: Dates should be entered in MM-DD-YYYY for		
Prior Disclosures			
Events	Search within: My company's disclosures only		
Main Page	No disclosures have been published by you or your company.		
Support	Display Options:		
Logout	Show results with: Abbreviated abstract		
	C First keyword match		
Fingerprint Lookup	Highlight matches: 😾 Enable		

Search Help:

View our full text search reference guide (Boolean, syntax, phonic and fuz;

- Searching is performed across the full text of documents including bibliograp extracted text. You do not need to use any special punctuation or commands phrase. Simply enter the phrase the way it ordinarily appears. You can use a in your search. apple W/5 fruit salad
- Available positional operators are W/# and NOT W/# meaning "(not) within words." Available Boolean operators are AND, OR, and AND NOT. (strawbe chocolate) AND milk
- The CONTAINS operator may be used to restrict to a specific field. Available TITLE, ABSTRACT, COPYRIGHT, RELATED_PEOPLE, and RELATED_DOI RELATED_PEOPLE CONTAINS smith
- Words may contain the special characters ? and * for "match any single char zero or more characters." (COFYRIGHT CONTAINS mot*) AND (TITLE CONTA)
- For help with other options, view our help guide.

Copyright @ 2005 IP.com, Inc. All rights reserved.





April 14, 2005

USPTO

Search

Full Text

Concept

Document ID

Publish

Publish Disclosure

Recent Disclosures

My IP.com

Manage Account
Prior Purchases
Prior Disclosures
Events .
Main Page
Support
Logout

Fingerprint Lookup

Lookup

Displaying records #1 through 2 out of 2

Result # 1 Relevance: OOOOO

PREVIEW

EFFICIENT SAFETY CIRCUIT FOR ELECTRONIC BAL

25-Jun-2002

IPCOM000008580D

English

In electronic ballast circuits for fluorescent lamps, the self oscill commonly used in the low cost half bridge converter, is prone to runaway when the fluorescent lamp does not strike. As a consethe switches are oversized to sustain such a ...

Result # 2 Relevance: OCOCO



Multiple-CCFL inverter all output shutdown circuit i failure happened

19-Jun-2003

IPCOM000013901D

Englisi

A multiple-CCFL (cold-cathode fluorescent lamp) inverter that h safety protection was developed. When it happened any failure inverter shut off all the high-voltage outputs. The protection cirall the STOP signals of each controller ...

Displaying page 1 of 1 < BACK | NEXT >

Search query: fluorescent and lamp and protection and circuit

New search | Modify this search | Search within current results

Copyright @ 2005 IP.com, Inc. All rights reserved. |